



Asterolasia buxifolia. R



Grevillea obtusiflora ssp *fecunda*. R



Phebalium bifidum. R

Resources:

- * <http://www.lithgowenvironment.org/>
- * <http://plantnet.rbgsyd.nsw.gov.au/>
- * <https://www.ala.org.au/>
- * Lithgow & District Community Nursery
P.O. Box 492. Lithgow NSW 2790.
2A Coalbrook St, Hermitage Flat NSW 2790
P.O. Box 492. Lithgow NSW 2790.

- * Native Plants : Hassans Walls Reserve
Lithgow / authors: Suzanne Lollback,
Helen Drewe, Robert Coveny and Ken
Durie ; principal photographer: Suzanne
Lollback ; photography contributors:
Helen Drewe, Ken Durie

Legend: This is a general guide for flowering seasons: Sp = Spring; S = Summer; Au = Autumn W = Winter.

Species in **bold** = protected species.

C = Common; UC = Uncommon; R = Rare

For more detailed information and habitats see resource links.



The production of this brochure was possible through funding from Central Tablelands



Cover photo: *Thysanotus tuberosus* © Julie Favell.
Photography by Julie Favell and Chris Jonkers

Lithgow Environment Group Inc

P.O. 3081. BOWENFELS NSW 2790
Email: info@lithgowenvironment.org
Blog page: <http://www.lithgowenvironment.org/>
<https://www.facebook.com/Lithgow-Environment-Group-Inc-539006109525782/>
https://twitter.com/info_leg



Lithgow Environment Group Inc.
PO Box 3081 Bowenfels, NSW 2790 ABN 23395145080

Preserving the Balance of Nature



© Julie Favell

*Wildflowers
Of
Lithgow*




Actinotus forsythia. Sp-AU.UC



Actinotus helianthi. SP.C




Boronia floribunda SP.C



Caladenia carnea SP-S.C



Cryptostylis subulata. Sp-S.C



Dampiera stricta. SP. C



Adenochilus nortonii. S.UC



Ajuga australis .SP-S.C



Caladenia dimorpha. SP.C



Caleana major. SP-S.C



Dipodium roseum. SP-S. C



Diuris sulphurea. SP. C



Boronia anemonifolia ssp
anemonifolia. SP.UC



Boronia microphylla. SP-S.C




Comesperma ericinum. SP-S.C



Coopernookia barbata. throughout
the year. UC



Epacris microphylla. W-SP.C



Epacris reclinata. W-S.C



Banksia ericifolia. A. C.



Banksia marginata. AU-SP.C



Coronidium scorpioides. SP.C



Correa reflexa var.*reflexa* red. AU-W. C



Eriochilus cucullatus. S-AU.C



Gastrodia sesamoides. SP.UC




Billardiera scandens. W-SP.C



Brachyscome spathulata. SP-W.C



Corybas hispidus. AU.C



Cryptostylis leptochila. S.C



Glossodia major. SP.C



Gompholobium huegelii. SP.C



Goodenia ovata. SP-S.C



Grevillea acanthifolia ssp *acanthifolia*. SP.UC



Mirbelia platylobioides. SP.C



Paracaleana minor. SP. UC



Grevillea laurifolia. SP-S.C



Indigofera australis. SP.C



Persoonia chamaepitys. S.C



Prostanthera howelliae. SP.C



Leptospermum macrocarpum. SP.C



Leptospermum obovatum. SP.C



Pultenaea microphylla. SP.C



Spiranthes sinensis. SP-S.C



Leucochrysum graminifolium. S.UC



Leucopogon lanceolatus. SP-S.C



Stylidium productum. SP-S.C



Telopea speciosissima. SP.C




Lobelia dentata. SP-S.C



Lomandra multiflora. W-SP.C



Thelymitra ixioides. SP-S.C



Thysanotus tuberosus. SP-S.C